

Installation Manual
P/N 07510-VCB



2007.5-2010 DODGE CUMMINS
CCV Open Breather Kit

Installation Instructions

P/N 07510-VCB
CCV Open Breather Kit

PLEASE READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION

CCV Open Breather Kit Contents



<u>Qty</u>	<u>Item Description</u>
1	CCV Breather Element
1	Billet Breather Plug
1	90° Hose Elbow
3	Hose Clamps

Please check your parts inventory against the above parts list before beginning your installation.

CCV Open Breather Kit Installation



- 1) Disconnect the factory breather tube at the valve cover.
- 2) Disconnect the factory air filter piping by disconnecting from the airbox outlet and turbo inlet.



- 3) Using side cutters remove the factory band clamp from the turbo inlet elbow
- 4) Carefully remove the factory barbed hose adapter from the turbo inlet elbow.



- 5) Insert the supplied Billet Plug into the turbo inlet elbow and secure using the supplied clamp. You can also use a factory spring clamp from elsewhere on the stock breather tube as shown above.
- 6) Reinstall the factory piping from the air box to the turbo inlet and secure.
- 7) Using the supplied elbow, clamps, and breather assemble the new open breather as shown. Again, you may choose to reuse the factory spring clamps as shown below.



Note: Without the turbocharger pulling a vacuum on the factory CCV element (located underneath the valve cover) a dirty CCV element may cause a code. If the occurs your factory CCV element is oils soaked and will need to be changed.

GLACIER DIESEL POWER
DISCLAIMER OF LIABILITY

Other than as expressly set forth herein, Glacier Diesel Power (hereafter collectively, "SELLER") shall in no way be responsible for the PRODUCT'S proper use and service. In no event shall SELLER be liable for any special, incidental, indirect or consequential damages of any kind or nature, whether or not BUYER was advised of the possibility of damage, arising or resulting from the use or performance of the PRODUCT, and BUYER hereby waives any and all such claims.

BUYER acknowledges that he/she/it is not relying on SELLER'S skill or judgment to select or furnish goods suitable for any particular purpose and that SELLER has no liability that will extend beyond the scope of the limited warranty contained herein, and BUYER hereby waives all remedies or liabilities, expressed or implied, arising by operation of law or otherwise, (including, without limitation, any obligations of SELLER with respect to fitness for any particular purpose; merchantability; and special, incidental, indirect or consequential damages) or whether or not occasioned by SELLER'S negligence.

SELLER disclaims any warranty and expressly disclaims any liability for personal injury or damages related to BUYER'S use of the PRODUCT. BUYER acknowledges and agrees that the disclaimer of any liability for personal injury is a material term for this agreement and BUYER agrees to indemnify SELLER and hold SELLER harmless from any claim related to the PRODUCT and its use or performance. Under no circumstances will SELLER be liable for any damages, liabilities, costs or expenses incurred as a result of or by reason of the use, performance or sale of the PRODUCT, including, without limitation, any damages, liabilities, costs or expenses incurred by reason of BUYER'S negligence related to those uses of the PRODUCT.

SELLER assumes no liability regarding the improper installation or misapplication of the PRODUCT. It is the installer's responsibility to check for proper installation, and, if in doubt, contact the manufacturer.

LIMITATION OF WARRANTY

SELLER hereby provides the following limited warranty as to description, quality, merchantability, fitness for any product's purpose, productiveness, or any other matter of SELLER'S product sold herewith. The SELLER shall be in no way responsible for the product's open use and service and the BUYER hereby waives all rights other than those expressly written herein. This Warranty shall not be extended or varied except by a written instrument signed by SELLER and BUYER.

The Warranty is Limited to one (1) year from the date of sale and limited solely to the parts contained within the product's kit. All products that are in question of Warranty must be returned shipping prepaid to the SELLER and must be accompanied by a dated proof of purchase receipt. All Warranty claims are subject to approval by Glacier Diesel Power.

Under no circumstances shall the SELLER be liable for any labor charged or travel time incurred in diagnosis for defects, removal, or reinstallation of this product, or any other contingent expenses.

Under no circumstances will the SELLER be liable for any damage or expenses insured by reason of the use or sale of any such equipment.

IN THE EVENT THAT THE BUYER DOES NOT AGREE WITH THIS AGREEMENT: THE BUYER MAY PROMPTLY RETURN THIS PRODUCT, IN A NEW AND UNUSED CONDITION, WITH A DATED PROOF OF PURCHASE, TO THE PLACE OF PURCHASE WITHIN THIRTY (30) DAYS FROM DATE OF PURCHASE FOR A FULL REFUND. THE INSTALLATION OF THIS PRODUCT INDICATES THAT THE BUYER HAS READ AND UNDERSTANDS THIS AGREEMENT AND ACCEPTS ITS TERMS AND CONDITIONS.